

Panic Devices & Hardware

We are raising the bar on our Panic Devices, Larger Panic for doors up to 10 ft. tall. Stronger Tested to 1.3 million cycles

Page C L=L=L Panic Devices PD Exterior Handles 2 • Ifittings Configurations 50 Deadbolts OTVS Headers Custom Lock Pulls 8

Easy Lock Ladder 10 12 EZ Touch Handle Custom Pulls DT Pulls Ladder Pulls 16 17 Standard Pulls Full Frame Doors 18 Door Hardware

PRL Systems

23

Faster

of operation

3 Days Std. LeadtimeNext Day Service*

Innovative

Panic Bar Style Options





All Glass & Metal Products are Designed/Engineered & Manufactured in house

a *Dynamic* Company with 20 years of proven results!


Revolutionary & adaptable **Panic Hardware** that changes traditional ageless design Innovative Custom Design **Options** Round Bar/ Mitered Corners

Panic Devices/Egress controls



SPECIALTY DOORS/HARDWARE

Panic Devices/Egress controls



PRL manufactures PL-100 series panic device. This panic is a contemporary design offered primarily for all glass door entrance systems. The slim 1 1/4" dia. interior bar conceals the latching mechanism allowing minimal uninterrupted view on 1/2" or 3/4" glass. With the strict american with disabilities (A.D.A.) code this makes the PL-100 the right choice for installers. PRL panics have been tested in accordance to the american national standard for exit devices, ANSI/BHMA A 156.3-2008, Grade 1 certified and UL305, standard safety for panic devices.

PL-100 devices can also be dogged by sliding a pin located below the cylinder housing which allows the panic to remain in an open position giving free access during business hours. An electric strike can also be utilized with this device to work in conjunction with a remote keyless application.

Available finishes:

- Polished or Satin Stainless Steel
- Oil rubbed bronze
- Polished or Satin Brass
- Powder Coat Paint

Panics can be manufactured to be installed on wood and aluminum doors, please consult fcatory.



A Style Door with PL100 Panic Device/D exterior handle



BP Style Door with PL100 Panic Device/B exterior handle




P Style Door w/ PL100 Panic Device/ A exterior handle




FF Style Door w/ PL100 Panic Device/ A exterior handle

Panic Device/Deadbolt Exterior Handles

PRL Panic Devices exterior handles are available in **All Industry standard styles** from A to Y.







BP Style Door with PL-100 Panic Device/ standard A exterior handle



P Style Door with PL100 Panic Device, exterior key access and custom exterior Pull.







Available metal finishes are stainless steel (satin or polished) and custom finishes upon request. Consult us for details.


Most popular styles are shown, to view our full line visit **prlglass.com**



SPECIALTY HARDWARE Panic Device/ Deadbolt **Exterior Handles** E K G JS • PRL Advantage, We go beyond. by offering **Custom Exterior Pulls** KS LS that significantly increase Design adaptability with an unlimited range of combinations. MS X-Y 800) 433-7044 www.prlglass.com 3

Fittings





* State/local building codes may require doors bottom full rail.



PRL **Panic Devices** minimal tubular housing accomodate over 100 precision manufactured components engineered and mechanically syncronized for a safe panic function.

Various modular Fittings are offered as separate options to make panic applications versatile. Range from mechanical strikes to remotely operated access/egress electric controls.

Custom modifications available upon request*

*some limitations may apply



6b- T-HOLD STRIKE (PL 110 ONLY)



1- STRIKE BRACKET



2- GLASS MOUNT BRACKET




3- RAIL MOUNT BRACKET



4- PD SUPPORT BRACKET



5- LOCK HOUSING




6- FLOOR STRIKE (PL 110 ONLY)

Panic Device Configuration/ Specifications


PRL manufactures two types of panic devices PL-100 for top latch and PL-110 for floor latch application.

- Exterior handles
 Std. Styles/Custom
- Lock Options Cylinder/Lock housing, mechanical/electric strikes
- Mount type hardware Glass/Metal
- Door applications
 All glass, Full frame Glass,
 Storefront aluminum & wood



PL SERIES PANIC HANDLE

GLASS MOUNT SHOWN



RECOMMENDED DOOR SIZES:

GLASS THICKNESS: 1/2" 3/4"
OPENINGS
EXTERIOR 96" 102"
INTERIOR 102" 108"

SPECIFICATIONS:

TUBING: 1 1/4" ROUND MOUNT (THICKNESS)

GLASS: 1/2" OR 3/4" RAIL/METAL 1 3/4"

FINISHES:

STAINLESS STEEL #4 SATIN

#8 POLISHED

OTHERS UPON REQUEST

- *State/local building codes may require top latch for A.D.A. compliance.
- **Thresholds are recommended at floor strike applications, floor mounted strikes can be a tripping hazard.




DOOR SWING PROJECTION

Deadbolts



BP Style Doors/ TVS System





GLASS MOUNT BRACKET



RAIL MOUNT BRACKET



SUPPORT BRACKET



LOCK HOUSING




FLOOR STRIKE



Custom TVS Header

Panic hardware combined with PRL total Vision System Euro custom fittings are engineered to offer a minimal metal support for door, stabilizer glass fins and Panic hardware/latch strike bracket housing in a single modular unit.



PD-TVS Custom Header TRANSOM/SL/FIN/PIVOT BRACKET





Technical Sales/Support

PRL offers Panic Hardware technical support to complement the product line.


Backed with the best workmanship and Panic hardware material quality as in any of PRL complete Tempered glass entrance Systems

PRL technical assistance will save you time and effort coordinating the concept, design,material selection and evaluation of technical considerations necessary to manufacture functional complete systems with all related mechanical devices and ensure full compliance to specifications.

PRL can offer drawing details and specifications on entrance systems and related components for your use.

Please contact us for details.





Support Documents

Easy Lock Custom Pulls





Custom Lock Pulls/TVS System



PRL continues to develop, manufacture and design access/egress hardware for our various door styles.

Custom Lock Pulls are one of many options available.

- Custom Designs
- · Locks at Head or Floor.
- Easy locking height (locking mechanism at a convenient height)



DB HEAD/STRIKE




BAR END / STANDOFF



DEADBOLT / KEY WAY



THUMBTURN



CUSTOM STYLE (PLEASE CONSULT PRL FOR DETAILS)

Easy Lock Custom Pulls






PULLS

Easy Lock Ladder Pulls





PL-LOCK/LADDER 48"(40 3/8") -60" (44 5/16"), 72" (44 5/16") OAL (CC)



PL-LPLOCK/TT 43 5/16"(48") - 47 1/4"(60-72") LOCK CL-TT (OAL)




PL-FLOOR STRIKE

1 15/16" X 1 7/16" DUST PROOF STRIKE OPTION





Easy Lock Ladder Pulls





A versatile option for Nu-Vision all-glass doors are Lock-Ladder Pulls, offering a lock/unlock function to a comfortable height above the finished floor with a concealed deadbolt locking mechanism.

Available in various sizes.



EZ Touch Electronic Handle/Device

PRL offers various Egress Control Devices

EZ Touch at the simple act of touching the bar (even through gloves or clothing) activates an electronic sensor which immediately releases the lock.

EZ touch is a convenience Non-Fire Rated Electronic egress Hardware with an innovative Touch Sensitive Technology that integrates to doors with standard or custom exterior pulls.



PRL's innovative EZ Touch Bar system offers,

- Easy Touch Lock Release
- Effortless exit release activation
- Electronically Controlled Safe Magnetic locks
- Low Maintenance Non-Mechanical device
- Adaptable to All Glass, Full Frame & Aluminum Doors
- Various EZ Touch Push/pull styles
- Available in most architectural finishes




EZ-T Hardware shown installed on P Style Doors




PULLS

Custom













PRL Custom Push/Pulls offer a significant degree of flexibility.

The metal push/pulls are available in several finishes to match or harmonize with most door styles and architectural frames




10"/12" CC

PULLS


Dual Tone Series




36"/48" CC



4"/24" CC





PRL Dual Tone Series Push/Pulls were designed to pair to contemporary style trends.


The DT series push/pulls are available in a dual tone combination and center/end assembly sections in bronze anodized/polished or satin stainless steel


Custom sizes available upon request.





Ladder & Specialty





PL-SCULPTURED
16 3/4" CC



PL-DT/LADDER 36"/48"-60"/72"-72"/84" CC/OAL





Standard



PL-3 10"/12" CC



PL-3 Offset



PL-5 10"/12" CC



PL-8 10"/28" CC



PRL Push/Pulls offer a significant degree of flexibility.

The metal push/pulls are available in several finishes to match or harmonize with most door styles and architectural frames

Other Mfr. pulls are also available upon request from Trimco, F & S, Elms & others.



FULL FRAME DOORS



STYLES



NARROW 3" vertical stile, 4", 5", 10" or custom height top/bottom rails



MEDIUM 4" vertical stile, 4", 5", 10" or custom height top/bottom rails



CUSTOM narrow vertical stile, top/bottom rails, hardware, glass and sandblast artwork.



MUNTIN custom intermediate vertical/horizontal muntin




STAMPED **Custom Stamped** pattern



WIDE 5 1/2" vertical stile, 5", 10" or custom height top/bottom rails









PL-600DS



PL-350DS



PL-150DS



New PL-DSR series are designed to capture 3/8", 1/2" and 3/4" glass and range from 4 1/4" to 10 1/8" in height (custom sizes/modifications are available upon request).

PL-DSR Rails are engineered to accommodate any type of hardware from standard hydraulic swinging door controls, balanced door hardware, automatic door hardware to mechanical/ electric access controls.

Interchangeable



faceplates easy to replace for,


damage/scratched material

- aesthetic changes
- low cost (face only)
- Fast door assembly & Easy Adjustment
 - without door removal

Available in:

- **Aluminum anodized** clear, dark bronze
- Clad*, Painted or Custom **Finishes**

*stainless/brass pol. or satin




DSR Series rails shown with snap in covers, clad & applied endcap



(800) 433-7044

Dryset Sidelite Header/Rail





PL-HDS

New PL-DS Sidelite and header are designed to capture 3/8", 1/2" and 3/4" glass. Glass is set into PL-Standard rails through a dry glazing method using a epdm compression vinyl for a perfect fit.

DS sidelite range from 4 1/4" to 10 1/8" in height (custom sizes/stacking modifications are available upon request).

DS Header is available in 1 3/4" x 4" and 1 3/4" x 4 1/2".



PL-150/350DSSL

- 4", 6 & 10 Std. heights
- Square/Tappered
- Clad Option
- Custom Height Consult PRL for details.


DSSL Series sidelite rails shown with clad & applied endcaps






(800) 433-7044

DOOR STANDARD FITTINGS









* State/local building codes may require doors bottom full rail.

PRL **Total Vision System** takes glass to a full magnitude with an absolute transparency, with Euro fittings that are a minimal metal door support offered in a combined modular dimension and engineered to accommodate door hardware.

Fittings use a dry/mechanical glazing method with precision bolt in a versatile modular dimension (2" x 6/12"). Features removable coverplates with available finishes in aluminum anodized, Stainless steel and brass (brushed/polished).



Custom modifications available upon request* *some limitations may apply



PL-450 TRANSOM/SL/FIN/PIVOT BRACKET 4 1/8"H / 8 1/2" W




PL-440 TRANSOM/ SL/ PIVOT BRACKET 4 1/8"H / 8 1/2" W



PL-414/424 BOTTOM / TOP PATCH FITTING 2"H / 6 1/2" W



PL-16500 LOCK PATCH FITTING 2"H / 6 1/2" W



PL- 467 SM(SIDE/TOP) FIN BRACKET 4 3/8"H / 4 5/8" W

SPECIALTY DOORS/HARDWARE

Security access controls





PL-18102 3 1/8"H / 5 1/2" W



PL-18100 3 1/8"H / 5 1/2" W




PL-19102 3 1/8"H / 6 3/4" W



PL-16300 4 1/4"H / 3" W



Security access controls



F Doors with custom centerlock/strike housing, Latchlock and electric strike.

Any type of locking specialty hardware can also be accommodated such as,

- Latch locks/lever handles
- Electric/Mechanical access devices



PL-CLH1 10"H / 6" W



PL-CLH2 10"H / 6" W



(800) 433-7044

ENTRANCE SYSTEMS



Tiffany All Glass Slider Top Hung



Herculite
All Glass Swing Doors



Max' Alumunim Sliders

- Top Hung/Bottom Roller
- Angular & inline Configurations





All Glass Top Hung Slider System

All Glass Doors and Sliding system are elegant and frameless. Clearvision movable glass is the perfect solution for conditions with space limitations.

PRL All Glass Doors provide the best in strength and design, creating a unique and modern look for residential or commercial applications. These systems enhance the appearance of a room with the transparency between areas, making a room appear larger and open.



GUARDRAILS/HANDRAILS



HR Post/Glass Clamps



Infinity Floor Post Mount Aluminum Modular Railing



Rapid Dry-Set



Elegante **Stand-Off Surface Mount**



PRL offers complete handrails and guardrails systems. We manufacture and extrude all components in house.

PRL's Railing Systems brings new innovation to the Architectural and design industry. These systems are in demand due to their frameless features. Most systems use 1/2" tempered or laminated glass.



All systems are fabricated and prepared to make installation easier.

SHOWER / STEAM UNITS



Nu-Vision Shower Doors have many different configurations from the basic single door to the most complex custom shower steam unit design.

PRL's shower door units are fabricated to exact size, selected thickness and configuration to fit your opening and finished to match the dwelling décor. The frameless shower enclosures and steam units will give bathrooms a distinctive look. The all glass frameless units enhances the beauty of bathrooms tile or marble work. Nu-Vision Frameless Shower door units feature tempered safety glass in every application.





251 MASON WAY CITY OF INDUSTRY, CA. 91746

Newest Production Lines, Products & Services

Privacy Glass



A TECHNOLOGY
that switches
from
transparency
to privacy
at the touch
of a button!



